

- **1 Set(s) of Preformed Front Lit Channel Raceway** reading CENTER w/ logo with LED lighting
- **Faces:**
7328 White .177" - 7328 72 x 120 Acrylic UV Print with GF23160 2.4mil Gloss ClearUV 60"
- **Trimcap:**
Gemini - 3/4" Black
- **3 in return Aluminum CL Coil 3.5"** Standard Color Black
- **Aluminum Sheet Backs:**
ACM - 3MM(, 125) white/whiteUL 60 x 120
- **LEDs:**
1 Row of LED- Principal QwikMod PLQM2-TW150-P, White 6500K illumination
- **Mounting 1:**
Qty 2 - Extrusion Raceway 7"x4.5" Raceway Extrusion-TE-RW4.5.7: 75 in (L)
Five total expansion anchor to be installed on raceway into wall /per raceway
Two along the top of the raceway, 3 along the bottom of the raceway
To be fitted with washers, nuts and bolts
Painted to match building color
- **Power Supply:**
LED Pwr Supply-Principal P-OH060-12-EC 90-305VAC
- **Other Electrical Parts:** 2 - Electrical Toggle Switch- 15A, 120V
- **Photocell** will be installed



Project: Oliveira's Express (Front)
 Sales: Raphael F. Designer: Mateus L.
 Scale: 1/2" = 1'-0" (1:24)
 Date: Jul 2024 Sketch #: 001

Location:
 204 Cambridge St.,
 Boston 02114

Job Description:
 Illuminated Channel
 Letters on Raceway

Revised

File Name: OLIVEIRAS_EXPRESS_FRONT_2024_SSG.cdr

This sign is intended to be installed in accordance with the requirement of Article 600 of the National Electrical Code. The location of the disconnect switch after installation shall comply with Article 600.5 (A)(1) of the National Electrical Code.

Please Note: Seaside Graphics is not responsible if there are any problems found after this job has been approved by the customer and printed. Any costs that may be incurred to correct the job are the customer's responsibility.

Customer Approval:



- **1 Set(s) of Preformed Front Lit Channel Raceway** reading CENTER w/ logo with LED lighting
- **Faces:**
7328 White .177" - 7328 72 x 120 Acrylic UV Print with GF23160 2.4mil Gloss ClearUV 60"
- **Trimcap:**
Gemini - 3/4 " Black
- **3 in return Aluminum CL Coil** 3.5" Standard Color Black
- **Aluminum Sheet Backs:**
ACM - 3MM(.125) white/whiteUL 60 x 120
- **LEDs:**
1 Row of LED- Principal QwikMod PLQM2-TW150-P, White 6500K illumination
- **Mounting 1:**
Qty 2 - Extrusion Raceway 7"x4.5" Raceway Extrusion-TE-RW4.5.7: 75 in (L)
Five total expansion anchor to be installed on raceway into wall /per raceway
Two along the top of the raceway, 3 along the bottom of the raceway
To be fitted with washers, nuts and bolts
Painted to match building color
- **Power Supply:**
LED Pwr Supply-Principal P-OH060-12-EC 90-305VAC
- **Other Electrical Parts:** 2 - Electrical Toggle Switch- 15A, 120V
- **Photocell** will be installed



SIDE VIEW


PMS COLOR
5747C



PMS COLOR
376C



RACEWAY
PMS COLOR
376C



Project: Oliveira's Express (Front)

Sales: Raphael F. Designer: Mateus L.

Scale: 1/2" = 1'-0" (1:20)

Date: Jul 2024 Sketch #: 001

Location:
204 Cambridge St.,
Boston 02114

File Name: OLIVEIRAS_EXPRESS_SIDE_2024_SSG.cdr

Job Description:
Illuminated Channel
Letters on Raceway

Revised

This sign is intended to be installed in accordance with the requirement of Article 600 of the National Electrical Code. The location of the disconnect switch after installation shall comply with Article 600.5 (A)(1) of the National Electrical Code.

Please Note: Seaside Graphics is not responsible if there are any problems found after this job has been approved by the customer and printed. Any costs that may be incurred to correct the job are the customer's responsibility.

Customer Approval:

Existing



Existing

