Sallys APIZZA

EXTERIOR SIGNAGE SUBMISSION 30 THOMSON PLACE



DESIGN REVIEW TOPICS

LOCATION OF BUILDING WITHIN DISTRICT

EXISTING PHOTOS

PROPOSED DESIGN

- DAY TIME VIEW
- NIGHT TIME VIEW


SIGNAGE DETAILS

NEIGHBORHOOD PHOTOS


HISTORIC PHOTO AS REFERENCE







30 THOMSON PLACE



PROJECT LOCATION MAP

FORT POINT CHANNEL LANDMARK DISTRICT







EXISTING CONDITION PHOTOS







EXISTING CONDITION PHOTOS







<u>Proposed Storefront</u> Day




<u>Proposed Storefront</u> Night

DAY TIME VIEW OF PROPOSED CHANGES










<u>Elevation</u> <u>Section</u>

SIGNAGE INSTALLATION LOCATIONS





Item 1: Raceway Mounted Channel Letters



▶ 34" tall x 5 ½" deep – neon channel letter set.

Channel letters fabricated with aluminum plate backers and aluminum sheet returns. Letter set to be sprayed in "Sally's Red" low luster epoxy. Hand bent single stroke red neon tubing inset inside of channels to create internal illumination. Letter set to be mounted to custom raceway with mechanical fasteners and mounting plates.

▶ 12 ½" tall x 2 ¼" deep – friction fit channel letter set.

Letter set fabricated with aluminum plate backers, aluminum sheet returns, and friction fit white acrylic faces. Letters to be sprayed in black low luster epoxy. 4000K LEDs will be affixed inside of the letter cans to internally illuminate the acrylic front faces. Letter set will be mounted to custom raceway with mechanical fasteners and mounting plates.

▶ 15'-7 5/8" long x 8" tall x 4" deep – custom illuminated raceway.


Raceway fabricated with .250" thick aluminum support tube and .500" thick mounting plates. Aluminum fabricated baffle on front face, with recesses for 4000K LED lighting. All components finished in black low luster epoxy and anchored to existing brick façade with masonry wedge anchors.

SIGNAGE DIMENSIONS - ITEM 1





Item 2: Blade Sign




- ▶ 24" tall x 24" wide x 1 ½" deep wall mounted blade sign.


 Blade sign fabricated with aluminum tube framing, aluminum plate faces, and .500" thick aluminum mounting plate.
- ► Custom light fixture fabricated with aluminum tube body and support arms, with frosted clear acrylic lens. 4000K LEDs mounted internally to create downlighting with wash effect.
- ▶ Mounting plate, support arm, lighting fixture, and blade sign body finished in black low luster epoxy, with the cabinet being masked and sprayed white on both faces.
- ➤ .250" thick acrylic letter sets mounted to both faces "SALLY'S" copy sprayed in red, and the "APIZZA" copy finished in white luster epoxy.
- ▶ Blade sign to be mechanically fastened to existing brick façade with masonry wedge anchors.



Sally's AP122A

Item 3: Illuminated Menu Cabinet







Cabinet Elevation

Cabinet Section Detail

Cabinet Perspective

SIGNAGE DIMENSIONS - ITEM 3












NEIGHBORHOOD REFERENCE PHOTOS

ILLUMINATED SIGNAGE







SIGNAGE TYPES

COMPANY NAME (& OFFERINGS)
PAINTED ON WOOD SIGN

COMPANY NAME (& OFFERINGS)
PAINTED ON BRICK FACADE

COMPANY NAME (& OFFERINGS)
PAINTED ON BRICK FACADE

COMPANY FUNCTION
PAINTED ON WOOD FACADE

COMPANY NAME AND/OR OFFERINGS PAINTED ON BRICK

TYPICAL STOREFRONT LOCATIONS WITH PAINTED BRICK & PAINTED WOOD

HISTORIC SIGNAGE FOR REFERENCE







THANK YOU