

Boston Wastewater Epidemiology Report

Updated: 10-Jan-2025 | Data Complete Through: 05-Jan-2025

☑ wastewater@bphc.org



Boston Public Health Commission

Report Contents

COVID-19 Summary

Neighborhood Levels and Trends Citywide Overview and Trends BPHC Trend Overview by Neighborhood

Detailed Results

Neighborhood Levels and Data Table Results by Neighborhood Allston/Brighton Back Bay Charlestown Dorchester East Boston Hyde Park Jamaica Plain Mattapan Roslindale/West Roxbury Roxbury

Variant Results

Percent Variant Lineages (Citywide)

Influenza & RSV

Influenza Detections in Wastewater Influenza Trends in Wastewater by Neighborhood RSV Detections in Wastewater RSV Trends in Wastewater by Neighborhood




A Note About These Reports



The laboratory that tests Boston's wastewater changed on August 1, 2024. Because of differences in the methods used at the old laboratory and the new one, data may not be comparable before and after the change. The change is marked with a vertical red line line on figures in this report. BPHC cautions against drawing conclusions by comparing data to the left and right of this line. BPHC closely monitors the data and the methods used to communicate these results, and presents the best understanding of the data in these reports. A report with more information about the lab change will be made available on the BPHC Wastewater Monitoring web page.

Neighborhood Levels and Trends








NEIGHBORHOOD SITES COVID-19 LEVEL & TRENDS

Level	Neighborhood/Site		Trend
Very High	Allston/Brighton (A/B)	\uparrow	Large Increase
	Hyde Park (HP)	\uparrow	Large Increase
High	Roxbury (RX)	\rightarrow	Stable
	Mattapan (MT)	\rightarrow	Stable
	Dorchester (DOR)	\rightarrow	Stable
	Back Bay (BB)	7	Increase
Moderate	Jamaica Plain (JP)	7	Increase
Low	Roslindale/West Roxbury (RS/WR)	$\overline{\mathbf{v}}$	Large Decrease
	East Boston (EB)	Ы	Decrease
	Charlestown (CH)	7	Increase

- Results by Neighborhood
- Detailed Neighborhood Levels and Trends Table
- Trend and Level Category Definitions .


COVID-19 Level		3 sites	1 sites	4 sites	2 sites
(# sites)	Very Low	Low	Moderate	High	Very High

Citywide Overview and Trends



Updated: 10-Jan-2025 | Samples through: 05-Jan-2025 (BPHC): 06-Jan-2025 (MWRA) | MWRA Data: https://www.mwra.com/bjobot/bjobotdata.htm


BPHC Trend Overview by Neighborhood



6/29

Neighborhood Levels and Data Table





COVID-19 Wastewater Levels		2-Week Trends			
NH	Conc. (copies/mL)	Level	Trend	Diff. (copies/mL)	% Change
BOSTON	1,206	High	Stable	+73	+6%
A/B	4,468	Very High	Large Increase	+2,990	+202%
HP	1,812	Very High	Large Increase	+1,628	+888%
RX	1,365	High	Stable	-146	-10%
MT	1,255	High	Stable	-124	-9%
DOR	1,144	High	Stable	-121	-10%
BB	1,080	High	Increase	+154	+17%
JP	978	Moderate	Increase	+210	+27%
RS/WR	621	Low	Large Decrease	-1,048	-63%
EB	474	Low	Decrease	-233	-33%
CH	460	Low	Increase	+291	+172%

Concentration Levels: Very High: >1,400 copies/mL; High: 1,050-1,400 copies/mL; Moderate: 700-1,050 copies/mL; Low: 350-700 copies/mL; Very Low: ≤350 copies/mL

2-Week Trend Categories: Large Increase: >+500 copies/mL; Increase: +150 to +500 copies/mL; Stable: -150 to +150 copies/mL; Decrease: -500 to -150 copies/mL; Large Decrease: s-500 copies/mL



Results by Neighborhood

- Allston-Brighton (A/B)
- Back Bay (BB)
- Charlestown (CH)
- Dorchester (DOR)
- East Boston (EB)
- Hyde Park (HP)
- Jamaica Plain (JP)
- Mattapan (MT)
- Roslindale/West Roxbury (RS/WR)
- Roxbury (RX)
- South Boston (SB)

Allston/Brighton




Level: Very High

- Average value in <u>A/B</u> over the past week: <u>4,468</u> copies/mL.
- This value is very high compared to past values and higher than the citywide average (1,206 copies/mL).

Trend: **↑ Large Increase**

- Over the past two weeks, values in <u>A/B</u> are **increasing**.
- Change compared to two weeks ago: +2,990 copies/mL (+202%).



Updated: 10-Jan-2025 | Samples through: 05-Jan-2025 (A/B);

Back Bay




Level: High

- Average value in **BB** over the past week: 1,080 copies/mL.
- This value is high compared to past values and similar than the citywide average (1,206 copies/mL).

Trend: 7 Increase

- Over the past two weeks, values in **BB** are **increasing**.
- Change compared to two weeks ago: <u>+154</u> copies/mL (+17%).



Charlestown




Level: Low

- Average value in <u>CH</u> over the past week: <u>460</u> copies/mL.
- This value is <u>low</u> compared to past values and <u>lower</u> than the citywide average (1,206 copies/mL).

Trend: 7 Increase

- Over the past two weeks, values in <u>CH</u> are increasing.
- Change compared to two weeks ago: <u>+291</u> copies/mL (+172%).



Updated: 10-Jan-2025 | Samples through: 05-Jan-2025 (CH);

Dorchester




Level: High

- Average value in <u>DOR</u> over the past week: 1,144 copies/mL.
- This value is <u>high</u> compared to past values and <u>similar</u> than the citywide average (1,206 copies/mL).

Trend: \rightarrow <u>Stable</u>

- Over the past two weeks, values in <u>DOR</u> are <u>stable</u>.
- Change compared to two weeks ago: <u>-121</u> copies/mL (-10%).



Updated: 10-Jan-2025 | Samples through: 05-Jan-2025 (DOR);

See recommended actions and resources based on levels and trends in this neighborhood.

East Boston




Level: Low

- Average value in **EB** over the past week: <u>474</u> copies/mL.
- This value is <u>low</u> compared to past values and <u>lower</u> than the citywide average (1,206 copies/mL).

Trend: Y Decrease

- Over the past two weeks, values in **EB** are **decreasing**.
- Change compared to two weeks ago: <u>-233</u> copies/mL (-33%).



Updated: 10-Jan-2025 | Samples through: 05-Jan-2025 (EB);

See recommended actions and resources based on levels and trends in this neighborhood.

Hyde Park




Level: Very High

- Average value in <u>HP</u> over the past week: 1,812 copies/mL.
- This value is very high compared to past values and higher than the citywide average (1,206 copies/mL).

Trend: **↑ Large Increase**

- Over the past two weeks, values in <u>HP</u> are increasing.
- Change compared to two weeks ago: +1,628 copies/mL (+888%).



Updated: 10-Jan-2025 | Samples through: 05-Jan-2025 (HP);

See recommended actions and resources based on levels and trends in this neighborhood.

Jamaica Plain




Level: Moderate

- Average value in <u>JP</u> over the past week: <u>978</u> copies/mL.
- This value is <u>moderate</u> compared to past values and <u>similar</u> than the citywide average (1,206 copies/mL).

Trend: 7 Increase

- Over the past two weeks, values in <u>JP</u> are **increasing**.
- Change compared to two weeks ago: <u>+210</u> copies/mL (+27%).



Updated: 10-Jan-2025 | Samples through: 05-Jan-2025 (JP);

See recommended actions and resources based on levels and trends in this neighborhood.

Mattapan




Level: High

- Average value in <u>MT</u> over the past week: 1,255 copies/mL.
- This value is high compared to past values and similar than the citywide average (1,206 copies/mL).

Trend: \rightarrow <u>Stable</u>

- Over the past two weeks, values in <u>MT</u> are <u>stable</u>.
- Change compared to two weeks ago: <u>-124</u> copies/mL (-9%).



Updated: 10-Jan-2025 | Samples through: 05-Jan-2025 (MT);

Roslindale/West Roxbury




Level: Low

- Average value in <u>RS/WR</u> over the past week: <u>621</u> copies/mL.
- This value is <u>low</u> compared to past values and <u>lower</u> than the citywide average (<u>1,206</u> copies/mL).

Trend: $\mathbf{\downarrow}$ Large Decrease

- Over the past two weeks, values in **RS/WR** are **decreasing**.
- Change compared to two weeks ago: -1,048 copies/mL (-63%).



Updated: 10-Jan-2025 | Samples through: 05-Jan-2025 (RS/WR);

Roxbury




Level: High

- Average value in **RX** over the past week: 1,365 copies/mL.
- This value is high compared to past values and similar than the citywide average (1,206 copies/mL).

Trend: → <u>Stable</u>


- Over the past two weeks, values in **RX** are **<u>stable</u>**.
- Change compared to two weeks ago: <u>-146</u> copies/mL (-10%).




Updated: 10-Jan-2025 | Samples through: 05-Jan-2025 (RX);

See recommended actions and resources based on levels and trends in this neighborhood.


Percent Variant Lineages (Citywide)



Influenza Detections in Wastewater



This map depicts the number of times influenza virus was detected in wastewater at the 3 most-recent samples (approximately the past week) at each of the neighborhood sampling locations.



Influenza Trends in Wastewater by Neighborhood



For each neighborhood,

colored line and textbox shows the smoothed

trend and most recent

The dotted blue line in each panel shows the


trend and most recent value across all Boston

sites weighted by


population.

value in that

neighborhood:




RSV Detections in Wastewater






This map depicts the number of times RSV was detected in wastewater at the 3 most-recent samples (approximately the past week) at each of the neighborhood sampling locations.



RSV Trends in Wastewater by Neighborhood



COVID-19 Wastewater Level and Trend Category Definitions



Concentration Levels

Concentration Level	Concentration Value (Copies/mL)
Very High	>1,400
High	1,050-1,400
Moderate	700-1,050
Low	350-700
Very Low	≤350

2-Week Trend Categories

	Trend Category	Trend Value (Copies/mL)
\uparrow	Large Increase	>+500
7	Increase	+150 to +500
\rightarrow	Stable	-150 to +150
Ы	Decrease	-500 to -150
\downarrow	Large Decrease	≤-500





Wastewater viral levels in your neighborhood indicate **very high risk** of COVID-19 infection.

Based on this level, BPHC urgently recommends the following practices to prevent COVID-19 in your community:

- Wear a high-quality mask or respirator
- If you are at <u>high risk of getting very sick</u>, consider limiting non-essential indoor activities in public where you could be exposed.
- If you have close contact with someone at <u>high risk of getting very sick</u>, consider self-testing to detect infection before contact, and consider wearing a high-quality mask when indoors with them

- Stay up-to-date on vaccinations.
- Recognize the <u>symptoms</u> of COVID-19 and seek testing and possible treatment if you get sick
- Stay home when sick and avoid contact with others who are sick
- Improve indoor airflow and ventilation
- Wash your hands often and cover coughs and sneezes
- Follow CDC recommendations for preventing spread if you have COVID-19

- Find a vaccination clinic in your neighborhood
- Pick up a <u>free at-home test kit</u> in your neighborhood
- Find treatment for COVID-19 including free telehealth and in home treatment
- Call or visit the Mayor's Health Line
- Learn more about COVID-19 and find additional resources: <u>COVID-19 in Boston</u>





Wastewater viral levels in your neighborhood indicate high risk of COVID-19 infection.

Based on this level, BPHC strongly recommends the following practices to prevent COVID-19 in your community:

- Wear a high-quality mask or respirator
- If you have close contact with someone at high risk of getting very sick, consider self-testing to detect infection before contact, and consider wearing a high-quality mask when indoors with them
- Stay up-to-date on vaccinations.
- Recognize the <u>symptoms</u> of COVID-19 and seek testing and possible treatment if you get sick
- Stay home when sick and avoid contact with others who are sick
- Improve indoor airflow and ventilation
- Wash your hands often and cover coughs and sneezes
- Follow CDC recommendations for preventing spread if you have COVID-19

- Find a vaccination clinic in your neighborhood
- Pick up a <u>free at-home test kit</u> in your neighborhood
- Find treatment for COVID-19 including free telehealth and in home treatment
- Call or visit the Mayor's Health Line
- Learn more about COVID-19 and find additional resources: COVID-19 in Boston

Level: Moderate



Wastewater viral levels in your neighborhood indicate **moderate risk** of COVID-19 infection.

Based on this level, BPHC recommends the following practices to prevent COVID-19 in your community:

- If you are at high risk of getting very sick, wear a
 high-quality mask or respirator in public indoor spaces
- If you have close contact with someone at <u>high risk of getting very sick</u>, consider self-testing to <u>detect infection before contact</u>, and consider wearing a high-quality mask when indoors with them
- Stay up-to-date on vaccinations.
- Recognize the <u>symptoms</u> of COVID-19 and seek testing and possible treatment if you get sick
- Stay home when sick and avoid contact with others who are sick
- Improve indoor airflow and ventilation
- Wash your hands often and cover coughs and sneezes
- Follow CDC recommendations for preventing spread if you have COVID-19

- Find a vaccination clinic in your neighborhood
- Pick up a free at-home test kit in your neighborhood
- Find treatment for COVID-19 including free telehealth and in home treatment
- Call or visit the Mayor's Health Line
- Learn more about COVID-19 and find additional resources: <u>COVID-19 in Boston</u>

Level: Low



Wastewater viral levels in your neighborhood indicate **low risk** of COVID-19 infection.

Based on this level, BPHC recommends the following practices to prevent COVID-19 in your community:

- Continue to monitor wastewater levels and trends
- Stay up-to-date on <u>vaccinations</u>.
- Recognize the symptoms of COVID-19 and seek testing and possible treatment if you get sick
- Stay home when sick and avoid contact with others who are sick
- Improve indoor airflow and ventilation
- · Wash your hands often and cover coughs and sneezes
- Follow CDC recommendations for preventing spread if you have COVID-19

- Find a vaccination clinic in your neighborhood
- Pick up a free at-home test kit in your neighborhood
- Find treatment for COVID-19 including free telehealth and in home treatment
- Call or visit the Mayor's Health Line
- Learn more about COVID-19 and find additional resources: COVID-19 in Boston





Wastewater viral levels in your neighborhood indicate **very low risk** of COVID-19 infection.

Based on this level, BPHC recommends the following practices to prevent COVID-19 in your community:

- Continue to monitor wastewater levels and trends
- Stay up-to-date on <u>vaccinations.</u>
- Recognize the symptoms of COVID-19 and seek testing and possible treatment if you get sick
- Stay home when sick and avoid contact with others who are sick
- Improve indoor airflow and ventilation
- · Wash your hands often and cover coughs and sneezes
- Follow CDC recommendations for preventing spread if you have COVID-19

- Find a vaccination clinic in your neighborhood
- Pick up a free at-home test kit in your neighborhood
- Find treatment for COVID-19 including free telehealth and in home treatment
- Call or visit the Mayor's Health Line
- Learn more about COVID-19 and find additional resources: COVID-19 in Boston